

WEST Search History

DATE: Thursday, April 26, 2007

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT; THES=ASSIGNEE; PLUR=NO; OP=OR</i>	
<input type="checkbox"/>	L53	L47 and (remov\$ or delet\$) same instal\$ same unuse\$	1
<input type="checkbox"/>	L52	L49 and (remov\$ or delet\$) same instal\$ same unuse\$	1
<input type="checkbox"/>	L51	L50 not l44	30
<input type="checkbox"/>	L50	L49 and virtual adj3 (device\$1 or driver\$1)	31
<input type="checkbox"/>	L49	L48 and (trap\$ or interrupt\$ or intercept\$)	198
<input type="checkbox"/>	L48	L47 and (remov\$ or delet\$) near3 device\$1	249
<input type="checkbox"/>	L47	L46 and poll\$ near3 device\$1	509
<input type="checkbox"/>	L46	(device adj driver\$1) and (type\$1 near3 device\$1)	11280
<input type="checkbox"/>	L45	L44 not l42	10
<input type="checkbox"/>	L44	L43 and (device adj driver\$1)	18
<input type="checkbox"/>	L43	trap\$ with ((input/output or i/o or io) adj port\$1)	72
<input type="checkbox"/>	L42	L41 not l37	8
<input type="checkbox"/>	L41	L39 and trap\$ with ((input/output or i/o or io) adj port\$1)	8
<input type="checkbox"/>	L40	L39 and trap\$	627
<input type="checkbox"/>	L39	L38 and (device adj driver\$1)	5607
<input type="checkbox"/>	L38	717/\$.ccls. or 718/\$.ccls. or 719/\$.ccls. or 709/\$.ccls.	75357
<input type="checkbox"/>	L37	L36 and identif\$ same interrogat\$	3
<input type="checkbox"/>	L36	L35 and (remov\$ or delet\$)	85
<input type="checkbox"/>	L35	l28 and (interrupt\$ or intercept\$) with (input/output or IO or I/O or port\$1)	125
<input type="checkbox"/>	L34	l28 and (interrupt\$ or intercept\$) same (input/output or IO or I/O or port\$1)	173
		<i>DB=USPT,PGPB; THES=ASSIGNEE; PLUR=NO; OP=OR</i>	
<input type="checkbox"/>	L33	('5062060' '5175855' '5307491' '5394519' '5418962' '5497494' '5511195' '5561791' '5581766' '5630076' '6052743' '6091430')![pn]	12
		<i>DB=PGPB,USPT; THES=ASSIGNEE; PLUR=NO; OP=OR</i>	
<input type="checkbox"/>	L32	L31 and trap\$ with port\$1	2
<input type="checkbox"/>	L31	L28 and poll\$	102
<input type="checkbox"/>	L30	L29 and poll\$	10
<input type="checkbox"/>	L29	L28 and (identif\$ near3 port\$1)	34
<input type="checkbox"/>	L28	L27 and (device adj driver\$1)	722
<input type="checkbox"/>	L27	(719/310,321,322,323,324,327)![CCLS]	1949
<input type="checkbox"/>	L26	((DEVICE ADJ DRIVER\$1) and device\$1 and port\$1 and identif\$ and poll\$ and trap\$.clm.	1
<input type="checkbox"/>	L25	((DEVICE ADJ DRIVER\$1) and device\$1 and (different adj type\$1) and port\$1 and identif\$ and poll\$ and trap\$.clm.	0

DB=PGPB,USPT; THES=ASSIGNEE; PLUR=YES; OP=OR

<input type="checkbox"/>	L24	L23 NOT L16	18
<input type="checkbox"/>	L23	L22 AND DEVICE ADJ DRIVER\$1	20
<input type="checkbox"/>	L22	L21 AND PCI	36
<input type="checkbox"/>	L21	L20 AND BIOS	53
<input type="checkbox"/>	L20	L19 AND TRAP\$ WITH (PORT\$1 OR INPUT\$ OR I/O)	71
<input type="checkbox"/>	L19	L18 and VGA	3836
<input type="checkbox"/>	L18	719/\$.ccls. or 715/\$.ccls. or 345/\$.ccls. or 710/\$.ccls.	124639
<input type="checkbox"/>	L17	L16 not L15	4
<input type="checkbox"/>	L16	L14 and interrogat\$	6
<input type="checkbox"/>	L15	L14 and trap\$	3
<input type="checkbox"/>	L14	L13 and (common near4 type\$1)	26
<input type="checkbox"/>	L13	L12 and (device adj type\$1)	247
<input type="checkbox"/>	L12	L11 and (device adj driver\$1)	1377
<input type="checkbox"/>	L11	L10 or L9 or L8	5204
<input type="checkbox"/>	L10	(345/593)! [CCLS]	297
<input type="checkbox"/>	L9	(710/10 710/12 710/15 710/23 710/36 710/8)! [CCLS]	3998
<input type="checkbox"/>	L8	(719/321 719/322 719/323 719/324 719/325 719/326 719/327)! [CCLS]	1027

DB=USPT,PGPB; THES=ASSIGNEE; PLUR=YES; OP=OR

<input type="checkbox"/>	L7	('4990904' '4991085' '5072411' '5138706' '5150109' '5257387' '5263148' '5313592')! [pn]	8
--------------------------	----	--	---

DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR

<input type="checkbox"/>	L6	L4 or L3	3
<input type="checkbox"/>	L5	L4 and (device adj driver\$1)	1
<input type="checkbox"/>	L4	5394519.PN.	1
<input type="checkbox"/>	L3	L2 and (device adj driver\$1)	2
<input type="checkbox"/>	L2	(5418962 or 5175855).PN.	2
<input type="checkbox"/>	L1	6760784.PN.	1

END OF SEARCH HISTORY

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "'('device driver'<in>ti)'"

Your search matched **22** of **1557368** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.
 e-mail
  printer friendly

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[Select All](#)
[Deselect All](#)

- ☐ 1. **Priority queue-based IEEE1394 device driver supporting real-time characteristics**
Hyo-Sang Lim; Dong-Hwan Park; Soon-Ju Kang; Bong-Jin Oh;
Consumer Electronics, IEEE Transactions on
Volume 46, Issue 3, Aug. 2000 Page(s):825 - 833
Digital Object Identifier 10.1109/30.883455
[AbstractPlus](#) | Full Text: [PDF\(656 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **Modeling Device Driver Effects in Real-Time Schedulability Analysis: Study of a Network Driver**
Mark Lewandowski; Mark J. Stanovich; Theodore P. Baker; Kartik Gopalan; An-I Andy Wang;
Real Time and Embedded Technology and Applications Symposium, 2007. RTAS '07. 13th IEEE
April 2007 Page(s):57 - 68
Digital Object Identifier 10.1109/RTAS.2007.18
[AbstractPlus](#) | Full Text: [PDF\(389 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Code generation for Linux device driver**
Yong Hoon Choi; Woo Il Kwon; Heung Nam Kim;
Advanced Communication Technology, 2006. ICACCT 2006. The 8th International Conference
Volume 1, 20-22 Feb. 2006 Page(s):4 pp.
[AbstractPlus](#) | Full Text: [PDF\(3736 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Research and Implementation of Zero-Copy Technology Based on Device Driver in Linux**
Hongfeng Zhu; Tianhua Liu; Chuansheng Zhou; Guiran Chang;
Computer and Computational Sciences, 2006. IMSCCS '06. First International Multi-Symposiums on
Volume 2, 20-24 April 2006 Page(s):129 - 134
Digital Object Identifier 10.1109/IMSCCS.2006.256
[AbstractPlus](#) | Full Text: [PDF\(192 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **Accurate friction compensation for precision stage using synchronous piezoelectric device driver**
Truong Ngoc Minh; Ohishi, K.; Takata, M.; Hashimoto, S.; Kosaka, K.; Kubota, H.; Ohmi, T.;
Advanced Motion Control, 2006. 9th IEEE International Workshop on
March 2006 Page(s):109 - 114
Digital Object Identifier 10.1109/AMC.2006.1631642
[AbstractPlus](#) | Full Text: [PDF\(322 KB\)](#) IEEE CNF
[Rights and Permissions](#)

6. Using device driver software in SCADA systems

Wu Sitao; Qian Qingquan;
Power Engineering Society Winter Meeting, 2000. IEEE
Volume 3, 23-27 Jan. 2000 Page(s):2046 - 2049 vol.3
Digital Object Identifier 10.1109/PESW.2000.847668
[AbstractPlus](#) | Full Text: [PDF](#)(236 KB) IEEE CNF
[Rights and Permissions](#)

7. UML for real-time device driver development

Sertic, H.; Rus, F.; Rac, R.;
Telecommunications, 2003. ConTEL 2003. Proceedings of the 7th International Conference on
Volume 2, 11-13 June 2003 Page(s):631 - 636 vol.2
Digital Object Identifier 10.1109/CONTEL.2003.1215882
[AbstractPlus](#) | Full Text: [PDF](#)(500 KB) IEEE CNF
[Rights and Permissions](#)

8. DMD: network device driver architecture for high-performance systems

Andjelic, M.;
Telecommunications, 2003. ConTEL 2003. Proceedings of the 7th International Conference on
Volume 2, 11-13 June 2003 Page(s):625 - 630 vol.2
Digital Object Identifier 10.1109/CONTEL.2003.1215881
[AbstractPlus](#) | Full Text: [PDF](#)(418 KB) IEEE CNF
[Rights and Permissions](#)

9. RT-WLAN: a soft real-time extension to ORiNOCO Linux device driver

Jain, A.; Qiao, D.; Shin, K.G.;
Personal, Indoor and Mobile Radio Communications, 2003. PIMRC 2003. 14th IEEE
Proceedings on
Volume 2, 7-10 Sept. 2003 Page(s):1434 - 1440 vol.2
Digital Object Identifier 10.1109/PIMRC.2003.1260350
[AbstractPlus](#) | Full Text: [PDF](#)(600 KB) IEEE CNF
[Rights and Permissions](#)

10. Evaluation of applying SpecC to the integrated design method of device driver and device

Honda, S.; Takada, H.;
Design, Automation and Test in Europe Conference and Exhibition, 2003
2003 Page(s):138 - 143 suppl.
Digital Object Identifier 10.1109/DATE.2003.1186685
[AbstractPlus](#) | Full Text: [PDF](#)(389 KB) IEEE CNF
[Rights and Permissions](#)

11. Evaluation of applying specC to the integrated design method of device driver and device

Honda, S.; Takada, H.;
Design, Automation and Test in Europe Conference and Exhibition, 2003
2003 Page(s):138 - 143
Digital Object Identifier 10.1109/DATE.2003.1253819
[AbstractPlus](#) | Full Text: [PDF](#)(389 KB) IEEE CNF
[Rights and Permissions](#)

12. An automatic detergent blending system based on virtual x device driver

Jiang, X.; Wang, L.; Chen, Y.;
Industrial Technology, 2002. IEEE ICIT '02. 2002 IEEE International Conference on
Volume 2, 11-14 Dec. 2002 Page(s):810 - 814 vol.2
Digital Object Identifier 10.1109/ICIT.2002.1189271
[AbstractPlus](#) | Full Text: [PDF](#)(322 KB) IEEE CNF
[Rights and Permissions](#)

13.**Prototype of the device driver generation system for UNIX-like operating systems**

Katayama, T.; Saisho, K.; Fukuda, A.;
Principles of Software Evolution, 2000. Proceedings. International Symposium on

1-2 Nov 2000 Page(s):302 - 310

Digital Object Identifier 10.1109/ISPSE.2000.913251

[AbstractPlus](#) | Full Text: [PDF\(568 KB\)](#) IEEE CNF
[Rights and Permissions](#)

14. **IEEE1394 OHCI device driver architecture for guarantee real-time requirement**

Dong-Hwan Park; Soon-Ju Kang;

Real-Time Computing Systems and Applications, 2000. Proceedings. Seventh International Conference on

12-14 Dec. 2000 Page(s):389 - 393

Digital Object Identifier 10.1109/RTCSA.2000.896416

[AbstractPlus](#) | Full Text: [PDF\(540 KB\)](#) IEEE CNF
[Rights and Permissions](#)

15. **Priority queue-based IEEE 1394 device driver for supporting real-time characteristics**

Hyo-Sang Lim; Dong-Hwan Park; Soon-Ju Kang; Pong-Jin Oh;

Consumer Electronics, 2000. ICCE, 2000 Digest of Technical Papers. International Conference on

13-15 June 2000 Page(s):198 - 199

Digital Object Identifier 10.1109/ICCE.2000.854582

[AbstractPlus](#) | Full Text: [PDF\(208 KB\)](#) IEEE CNF
[Rights and Permissions](#)

16. **Windows NT device driver design in a multi-link translator and display system**

Ho, H.T.;

Military Communications Conference Proceedings, 1999. MILCOM 1999. IEEE

Volume 2, 31 Oct.-3 Nov. 1999 Page(s):1277 - 1281 vol.2

Digital Object Identifier 10.1109/MILCOM.1999.821409

[AbstractPlus](#) | Full Text: [PDF\(316 KB\)](#) IEEE CNF
[Rights and Permissions](#)

17. **Proposal of a support system for device driver generation**

Katayama, T.; Saisho, K.; Fukuda, A.;

Software Engineering Conference, 1999. (APSEC '99) Proceedings. Sixth Asia Pacific

7-10 Dec. 1999 Page(s):494 - 497

Digital Object Identifier 10.1109/APSEC.1999.809641

[AbstractPlus](#) | Full Text: [PDF\(264 KB\)](#) IEEE CNF
[Rights and Permissions](#)

18. **Operating system sensitive device driver synthesis from implementation independent protocol specification**

O'Nils, M.; Jantsch, A.;

Design, Automation and Test in Europe Conference and Exhibition 1999. Proceedings

9-12 March 1999 Page(s):562 - 567

Digital Object Identifier 10.1109/DATE.1999.761183

[AbstractPlus](#) | Full Text: [PDF\(64 KB\)](#) IEEE CNF
[Rights and Permissions](#)

19. **Interfacing existing medical monitoring equipment: a device driver approach**

van Oostrom, J.H.; Schwab, W.; van der Aa, J.J.; Gibby, G.L.;

Engineering in Medicine and Biology Society, 1995. IEEE 17th Annual Conference

Volume 1, 20-23 Sept. 1995 Page(s):753 - 754 vol.1

Digital Object Identifier 10.1109/IEMBS.1995.575346

[AbstractPlus](#) | Full Text: [PDF\(212 KB\)](#) IEEE CNF
[Rights and Permissions](#)

20. **A non-stop updating technique for device driver programs on the IROS platform**

Araki, H.; Futagami, S.; Nitoh, K.;

Communications, 1995. ICC 95 Seattle, Gateway to Globalization, 1995 IEEE International Conference on

Volume 1, 18-22 June 1995 Page(s):88 - 92 vol.1

Digital Object Identifier 10.1109/ICC.1995.525144

[AbstractPlus](#) | Full Text: [PDF\(384 KB\)](#) IEEE CNF

[Rights and Permissions](#)

- └ **21. on object oriented device driver model**
Lemon, S.; Rossi, K.;
[Compcon '95. Technologies for the Information Superhighway', Digest of Papers.](#)
5-9 March 1995 Page(s):360 - 366
Digital Object Identifier 10.1109/CMPCON.1995.512409
[AbstractPlus](#) | Full Text: [PDF\(588 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- └ **22. On performance measurements of TCP/IP and its device driver**
Jau Hsiung Huang; Chi-Wen Chen;
[Local Computer Networks, 1992. Proceedings., 17th Conference on](#)
13-16 Sept. 1992 Page(s):568 - 575
Digital Object Identifier 10.1109/LCN.1992.228142
[AbstractPlus](#) | Full Text: [PDF\(484 KB\)](#) IEEE CNF
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

Indexed by
 Inspec[®]

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about 48,800 for "**device driver**" and **poll** and **trap** . (0.23 seconds)

[Writing a SCSI Device Driver\(IM: D\)](#)

If the **trap** exists, the driver can pass the SCSI ID of its device to the SCSIGetVirtualIDInfo ... where code is provided to **poll** the SCSI interrupt sources. ...
developer.apple.com/documentation/mac/Devices/Devices-154.html - 20k -
[Cached](#) - [Similar pages](#)

[Device Manager Parameter Block\(IM: D\)](#)

You can **poll** this field to detect when the driver has completed the request and to determine its ... The meaning of this field depends on the **device driver**. ...
developer.apple.com/documentation/mac/Devices/Devices-19.html - 16k -
[Cached](#) - [Similar pages](#)
[[More results from developer.apple.com](#)]

[Device Polling support for FreeBSD](#)

2002) work I have done to implement polling **device driver** support in FreeBSD. ... already in the right context (e.g. handling a timer interrupt, or a **trap**). ...
info.iet.unipi.it/~luigi/polling/ - 23k - [Cached](#) - [Similar pages](#)

[DNIX - Wikipedia, the free encyclopedia](#)

To aid in this, it was possible to **poll** both request and **trap** queues to see if there was more ... This was done in the filesystem and not the **device driver**, ...
en.wikipedia.org/wiki/DNIX - 46k - [Cached](#) - [Similar pages](#)

[Contents](#)

... tpf_itrpc-Send Simple Network Management Protocol User **Trap** - tpf_lemic - Lock ... TPF_FSDD_POLL_CLEAN-Select or **Poll** Cleanup of an Open File Descriptor ...
publib.boulder.ibm.com/infocenter/tpfhelp/current/topic/com.ibm.tpf.doc_put.20.1/gtpc2/gtpc2m02.htm - 87k -
[Cached](#) - [Similar pages](#)

[\[PDF\] AMD Geode CS5536 Companion Device Silicon Revision B1 ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Resolution: An SMI I/O **trap** can be setup for the. ACPI defined registers. This **trap** can control ... Resolution: The **device driver** should **poll** the S-bit ...
www.amd.com/files/connectivitysolutions/geode/geode_gx/34472D_CS5536_B1_specupdate.pdf - [Similar pages](#)

[\[PDF\] Low-Latency Communication over Fast Ethernet](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
to be implemented in the kernel: a **device driver** and a special **trap** are used to safely ... **poll** demand (i.e. towards the end of segment 5 in the figure). ...
www.eecs.harvard.edu/~mdw/papers/euopar.pdf - [Similar pages](#)

[SMIT Help Information for Ethernet Adapters](#)

A **trap** is an unsolicited SNMP protocol data unit (PDU) that the agent ... Select "Yes" to cause the **device driver** to **poll** the adapter to determine the ...
cgi.ncsa.uiuc.edu/.../Hardware/IBMp690/IBM/usr/share/man/info/en_US/a_doc_lib/aixhelp/smithelp/smit_eth.htm - 60k -
[Cached](#) - [Similar pages](#)

[Apollo Workstations - DEX example](#)

(Y, N) : y y %"WIN7B" - **Device driver** not loaded (Exec/AUTO Cmd) %"FLP7" ...
Poll PICs with all IRQ inputs masked. Test for no interrupts with all IRQ ...
www.hunkler.com/aegis/aegis_dex.htm - 23k - [Cached](#) - [Similar pages](#)

[Linux Device Drivers, 2nd Edition: Chapter 5: Enhanced Char Driver ...](#)

The 2.0 kernel did not support the **poll** system call; only the BSD-style select call was available. The corresponding **device driver** method was thus called ...
www.xml.com/ldd/chapter/book/ch05.html - 161k - [Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

 [Google](#)

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 11 - 20 of about 48,800 for "**device driver**" and **poll** and **trap** . (0.10 seconds)

[Erlang-questions By Thread](#)

<Possible follow-up(s)>; Re: can erlang code talk directly with **device driver** ?,
Haber, Bryan. SMP and kernel **poll**, Serge Aleynikov ...
www.erlang.org/ml-archive/erlang-questions/200607/threads.html - 42k -
[Cached](#) - [Similar pages](#)

[Chapter 7. Structure of a Kernel-Level Driver](#)

Much of the complexity of **poll()** is handled by the IRIX kernel, but the kernel requires the assistance of any **device driver** that supports **poll()**. ...
biology.ncsa.uiuc.edu/library/SGI_bookshelves/SGI_Developer/books/DevDriver_PG/cgi_html/ch07.html - 159k -
[Cached](#) - [Similar pages](#)

[Documentation](#)

When the Transmit Platform Event **Trap** (PET) Messages check box is not checked,
... Driver Interface — The type of **device driver** interface for the network ...
support.dell.com/support/edocs/network/P46150/en/index.htm - 30k -
[Cached](#) - [Similar pages](#)

[\[PDF\] Xitron Raster Blaster Linotronic Device Driver Manual Overview ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
information from the imaging engine, it is necessary to **poll** the engine periodically while ... Illegal **Trap** Error. Illegal **Trap** Error. Privilege Violation ...
www.xitron.com/Support/Doco/Raster%20Blaster/RB%20-%20Lino.pdf -
[Similar pages](#)

[Browse :: The Register Books - IT and Computer Book specialists](#)

An Introduction to Device Drivers The Role of the **Device Driver** Splitting the Kernel ... Advanced Char Driver Operations ioctl Blocking I/O **poll** and select ...
books.theregister.co.uk/catalog/browse.asp?id=718975&group=9061&subcat=1&cat=B - 21k - [Cached](#) - [Similar pages](#)

[#106542-43: SunOS 5.7 x86: Kernel Update Patch](#)

SEVERR on E-10000 4193748 BAD **TRAP** panic in strlen() 4203989 ypserv on SS20 ... However, if a third party **device driver** is added to the system by the end ...
sunsolve.sun.com/search/document.do?assetkey=urn:cds:docid:1-21-106542-43-1 - 89k - [Cached](#) - [Similar pages](#)

[COEN 177: I/O](#)

Kernel handles **trap** and calls **device driver's** **d_read(device_num, uio struct)**.
d_read() calls **l_read()** of line discipline associated with device_num. ...
www.cse.scu.edu/~jnoll/177/notes/io.html - 20k - [Cached](#) - [Similar pages](#)

[Bookpool: Linux Device Drivers, 3rd Edition](#)

Locking **Traps** Alternatives to Locking Quick Reference. 6. Advanced Char Driver Operations. ioctl Blocking I/O **poll** and select Asynchronous Notification ...
www.bookpool.com/sm/0596005903 - 13k - [Cached](#) - [Similar pages](#)

[Kernel API changes from 2.0 to 2.2](#)

As a **device driver** writer, you don't care about file positions, so you could ignore this ... In kernel 2.2, drivers must provide the **poll()** method instead, ...
www.atnf.csiro.au/~rgooch/linux/docs/porting-to-2.2.html - 12k -
[Cached](#) - [Similar pages](#)

[United States Patent: 5832513](#)

The **device driver** stack 78 implements a stack of **device driver** calling ... 82 to **trap** a particular service provided by the input/output supervisor 74, ...
[service1.symantec.com/.../0/083EAD4CC36B033188256DF7005D6C6E/\\$FILE/United%20States%20Patent%205,832,513.htm](http://service1.symantec.com/.../0/083EAD4CC36B033188256DF7005D6C6E/$FILE/United%20States%20Patent%205,832,513.htm) - 53k - [Cached](#) - [Similar pages](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 21 - 30 of about 48,800 for "**device driver**" and **poll** and **trap** . (0.17 seconds)

[PDF] [KwikNet Device Driver Technical Reference Manual](#)

File Format: PDF/Adobe Acrobat

A **device driver** may have to **poll** a device waiting for completion of an ... processor interrupt (sometimes called an exception or **trap**) is generated even ...
[kadak.com/manual/kwiknet/knet_ddm.pdf](#) - [Similar pages](#)

[Extendible and portable network protocol based system management ...](#)

The activate **trap** module 34-40 when started up or activated, builds a **trap poll** item and queues it in the timeout **poll** list 34-42. Information in this list ...
[www.patentstorm.us/patents/6104868-description.html](#) - 86k -
Cached - [Similar pages](#)

[I/O History - Mark Smotherman](#)

Programs running on the CPU could **poll** the output mailbox; otherwise, ... The **device driver** on the AP formatted a reply message from the I/O buffers in its ...
[www.cs.clemson.edu/~mark/io_hist.html](#) - 43k - Cached - [Similar pages](#)

[PDF] [Review: Hardware user/kernel boundary](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Device driver provides several entry points to. kernel. - Reset, output, interrupt,
Or schedule **poll** if future and do something else, but then ...
[www.scs.stanford.edu/nyu/04sp/notes/l8.pdf](#) - [Similar pages](#)

[Extendible and portable network protocol based system management ...](#)

The method of claim 30 wherein setting the MIB user **trap poll** value to zero ...
network operating system specific **device driver** interface to interface with ...
[www.freepatentsonline.com/6104868.html](#) - 129k - Cached - [Similar pages](#)

[PDF] [BSP and Device Driver Development Guide](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

trap handlers for alignment or floating point exceptions or device drivers for ... **poll** intr. is either INTR MODE or POLLED MODE to indicate how the node ...
[www.rtems.com/onlinedocs/releases/4.5.1-pre3/rtemsdoc/pdf/bsp_howto.pdf](#) -
[Similar pages](#)

[PDF] [BSP and Device Driver Development Guide](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

trap handlers for alignment or floating point exceptions or device drivers for peripheral ... Only PIO mode is supported but both **poll** and interrupt driven ...
[www.rtems.com/onlinedocs/releases/rtemsdocs-4.6.5/share/rtems/pdf/bsp_howto.pdf](#)
- [Similar pages](#)
[More results from [www.rtems.com](#)]

[Linux Knowledge Base and Tutorial](#)

The **device driver** s can either **poll** the device or they can use interrupts. ... This can also occur as the result of exceptions and **traps**. ...
[www.linux-tutorial.info/modules.php?name=Tutorial&pageid=270](#) - 27k -
Cached - [Similar pages](#)

[PS] [1.Introduction](#)

File Format: Adobe PostScript - [View as Text](#)

(This process is similar to that of an interrupt-driven **device driver**, the ... haustive proling that throughput was limited almost entirely by the **trap** ...
[www.netlib.org/tennessee/ut-cs-95-277.ps](#) - [Similar pages](#)

[PDF] [The Linux Kernel](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Trap. Operating Systems: A Modern Perspective, Chapter 20. Slide 20-8 ... **Device Driver**. **Device Driver**. File Manager. struct file_operations ...
[www.spelman.edu/~compsci/cis343/Chap20.pdf](#) - [Similar pages](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 31 - 40 of about 48,800 for "[device driver](#)" and [poll](#) and [trap](#) . (0.16 seconds)

[000:001 Process has aborted 000:002 \(S\\$Abort signal\) Keyboard Quit ...](#)

The user **trap** code specified to TLink is invalid or already in use. ... or if a **device driver** doesn't specify any static storage requirements. ...
[delphiwww.cern.ch/stc/testbeam/errmsg.txt](#) - 14k - [Cached](#) - [Similar pages](#)

[Proposals: Console daemons for Linux](#)

The "frame buffer" **device driver** is responsible for handling cleanup of the ... in order to turn on the display when a kernel **trap** report is displayed. ...
[homepages.tesco.net/J.deBoynePollard/Proposals/linux-console-daemon.html](#) - 37k - [Cached](#) - [Similar pages](#)

[Book Detail: Linux Device Drivers, 3rd Edition - Bookware ...](#)

Locking **Traps**. Alternatives to Locking. Quick Reference 6. Advanced Char Driver Operations. ioctl. Blocking I/O. **poll** and select. Asynchronous Notification ...
[www.bookware.com.au/cgi-bin/bookware/0596005903](#) - 25k - [Cached](#) - [Similar pages](#)

[\[PDF\] IRIX™ Device Driver Programming Guide](#)

File Format: PDF/Adobe Acrobat
process data that it must **trap** on context switches, for user. page tables (memory map), ... **poll**. A character **device driver** may include a drv. **poll** ...
[www.techpubs.sgi.com/library/manuals/0000/007-0911-050/pdf/007-0911-050.pdf](#) - [Similar pages](#)

[Erlang-questions By Date](#)

Re: can erlang code talk directly with **device driver** ? From: "Only OpenSource".
SMP and kernel **poll**. From: Serge Aleynikov ...
[www.erlang.org/ml-archive/erlang-questions/200607/maillist.html](#) - 68k - [Cached](#) - [Similar pages](#)

[\[PS\] BSP and Device Driver Development Guide](#)

File Format: Adobe PostScript - [View as Text](#)
trap handlers for alignment or oating point exceptions or device drivers for ... **poll** intr. is either INTR MODE or POLLED MODE to indicate how the node ...
[www.rtems.org/onlinedocs/releases/4.5.0/rtemsdoc-4.5.0/share/rtemsdoc/ps/bsp_howto.ps](#) - [Similar pages](#)

[\[PS\] BSP and Device Driver Development Guide](#)

File Format: Adobe PostScript - [View as Text](#)
trap handlers for alignment or oating point exceptions or device drivers for peripheral ... Only PIO mode is supported but both **poll** and interrupt driven ...
[www.rtems.org/onlinedocs/releases/rtemsdocs-4.6.4/share/rtems/ps/bsp_howto.ps](#) - [Similar pages](#)

[Microsoft Device Drivers Development - Driver design thoughts](#)

driver would not be a real "**device driver**" representing any device, but ... signals, and wrote a driver to **trap** it, you could probably get your time ...
[www.codecomments.com/archive421-2005-10-647585.html](#) - 17k - [Cached](#) - [Similar pages](#)

[Quadrics . Support . QsNetKernelPatches](#)

The RMS job control system and also the QsNet **device driver** make use of a ... an illegal instruction in order to generate a device **trap** and interrupt. ...
[web1.quadrics.com/website/newpages/03QsNetKernelPatches.html](#) - 7k - [Cached](#) - [Similar pages](#)

[\[PDF\] Device Driver Reference](#)

File Format: PDF/Adobe Acrobat
snmp **trap** create" command has been seen to generate multiple configuration statements. ... be setup to run as often as you **poll** devices on your network. ...
[www.cisco.com/application/pdf/en/us/guest/products/ps7187/c1225/ccmigration_09186a008081521a.pdf](#) - [Similar pages](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about 836 for "**device driver**" and "**input/output ports**". (0.18 seconds)

[R.T.Russell: BBC BASIC for Windows](#)

WINIO is a special **device driver** which can be used to access **input/output ports** from BBC BASIC for Windows. WINIO is a third-party product (see ...
www.bbcbasic.co.uk/bbcwin/manual/bbcwinf.html - 23k - [Cached](#) - [Similar pages](#)

[What Is a Device Driver?](#)

A **device driver** is a component that Windows uses to provide I/O services for and ...
(for example, **input/output ports** [I/O], interrupt requests [IRQs], ...
technet2.microsoft.com/windowsserver/en/library/2dcda80d-3e11-4350-aaca-17d6d1293afa1033.mspx - 16k - [Cached](#) - [Similar pages](#)

[Device Management Technologies](#)

For example, the HAL implements a routine to map each **device driver's** ... by each device (for example, **input/output ports** [I/O], interrupt requests [IRQs], ...
technet2.microsoft.com/WindowsServer/en/library/adfc5b1c-4105-47a6-8388-de92891e8d0a1033.mspx - 29k - [Cached](#) - [Similar pages](#)
[[More results from technet2.microsoft.com](#)]

[\[PDF\] DACSIM: A DATA ACQUISITION CARD SIMULATOR](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
simulator using the **input/output ports**. • Data acquisition card simulator, that receives the data sent through the ports from the virtual **device driver** ...
personales.upv.es/scoll/papers/paris04.pdf - [Similar pages](#)

[Chapter 8 Input/Output](#)

... used to address the **input/output ports** that are used for external 16 devices. ... A task whose primary function is to perform I/O (a **device driver**) can ...
www.online.ee/~andre/i80386/Chap8.html - 14k - [Cached](#) - [Similar pages](#)

[How to manage devices in Windows XP](#)

... channels, **input/output ports** (I/O ports), interrupt request (IRQ), ... Windows XP provides this roll back to a previous, working, **device driver**: ...
support.microsoft.com/kb/283658 - [Similar pages](#)

[US 7102252 B2 Multi-function solid-state switch Jeffrey J Bertrand ...](#)

a solid state switching **device driver** circuit having a first input node ... a first current flow path between said first and second **input/output ports**, ...
www.uspto.gov/web/patents/patog/week36/OG/html/1310-1/US07102252-20060905.html - 6k - [Cached](#) - [Similar pages](#)

[Software Prof. Dr.-Ing. Werner Zimmermann](#)

CrackNT consists of a Windows kernel mode **device driver** and a DLL to enable ... 2000 or XP to access **input / output ports** and physical memory addresses. ...
www.it.fht-esslingen.de/~zimmerma/software/index_uk.html - 2k - [Cached](#) - [Similar pages](#)

[VideoBSD](#)

The hardware side will only interest **device driver** writers. ... This device may have multiple **input/output ports**, but can be logically seperately operated ...
people.freebsd.org/~jmg/videobsd.html - 20k - [Cached](#) - [Similar pages](#)

[Hardware is from Mars; Software is from Venus > Hardware Interfaces](#)

A **device driver** takes a set of standardized commands from the operating ...
input/output ports act like a second set of pigeon holes on the other side of ...
www.quepublishing.com/articles/article.asp?p=31697&seqNum=5 - 38k - [Cached](#) - [Similar pages](#)

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 11 - 20 of about 885 for "**device driver**" and "**input/output ports**". (0.13 seconds)

[EP287301 Tandem european software patent - Input/output system for ...](#)
... least two system buses (35) and a plurality of peripheral **input/output ports**, ...
device driver means for controlling peripheral devices coupled to said ...
[gauss.ffii.org/PatentView/EP287301 - 83k - Cached - Similar pages](#)

[How To Manage Devices in Windows Server 2003](#)
An icon appears next to a **device driver** that is digitally signed. ... The resources are
direct memory access (DMA) channels, **input/output ports** (I/O ports), ...
[support.microsoft.com/kb/317498 - Similar pages](#)

[Download Shuttle XPC Barebone SD32G2 BIOS sd32s10d Driver for ...](#)
optional optical SPDIF **input/output ports** (PC17) * Other connectors ... Try to set a
system restore point before installing a **device driver**. ...
[drivers.softpedia.com/get/BIOS/Shuttle/Shuttle-XPC-Barebone-SD32G2-BIOS-](#)
[sd32s10d.shtml - 61k - Apr 25, 2007 - Cached - Similar pages](#)

[EE319K Introduction to Microcontrollers](#)
10/13, Sections 5.1-5.3,, aLec17, Serial **input/output ports**. 10/16, Sections 5.1-
5.3,, aLec18, **device driver**, Serial **input/output ports** ...
[users.ece.utexas.edu/~valvano/EE319KF06.html - 36k - Cached - Similar pages](#)

[ScienceDirect - Nuclear Instruments and Methods in Physics ...](#)
... interfaces with the electronics engineers/**device driver** programmers who ... that a
computer I/O board may consist of digital/analog **input/output ports**. ...
[linkinghub.elsevier.com/retrieve/pii/S0168583X05013455 - Similar pages](#)

[Intel® Pocket Concert™ Audio Player - Troubleshooting USB ...](#)
This may be found under the **Input/Output Ports** configuration menu or the ... with
the USB port enabled, the Update Hardware **Device Driver** Wizard launches. ...
[www.intel.com/support/peripherals/audioplayer/pconcert/sb/cs-014107.htm - 27k -](#)
[Cached - Similar pages](#)

[\[PDF\] LatticeMico32 GPIO](#)
File Format: PDF/Adobe Acrobat - [View as HTML](#)
independent **input/output ports**, the number of input ports can be different ... The
GPIO **device driver** registers GPIO instances with the LatticeMico32 ...
[www.latticesemi.com/dynamic/view_document.cfm?document_id=21614 -](#)
[Similar pages](#)

[PC Interfacing and Data Acquisition: techniques for measurement, ... - Google Books Result](#)
by Kevin James - 2000 - 448 pages
... they have to be managed by some form of **device driver**. ... 1.4 **Input/output**
ports In addition to its memory, the PC has another entirely separate ...
[books.google.com/books?isbn=0750646241...](#)

[\[PDF\] Process Subsystem Architecture for Virtual Manufacturing ...](#)
File Format: PDF/Adobe Acrobat
Key to a reliable virtual **device driver** is the use ... from the virtual or real **device**
driver. This data ... The material **input/output ports** of the ...
[ieeexplore.ieee.org/iel3/3678/10817/00506518.pdf?arnumber=506518 -](#)
[Similar pages](#)

[Input/output system for multiprocessors - Patent 4821170](#)
device driver means for controlling peripheral devices coupled to said SCSI ... at
least two system buses and a plurality of peripheral **input/output ports**, ...
[www.freepatentsonline.com/4821170.html - 79k - Cached - Similar pages](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 21 - 30 of about 885 for "**device driver**" and "**input/output ports**". (0.09 seconds)

[Smart Computing Article - Hardware & Software Installation](#)

... I/O (**input/output**) **ports** to use or determine what memory space is needed. ...

Click the Update Driver button to start the Upgrade **Device Driver** Wizard ...

www.smartcomputing.com/editorial/article.asp?article=articles/archive/r0702/28r02/48r02.asp&guid=-37k - [Cached](#) - [Similar pages](#)

[Smart Computing Article - Hardware Fixes](#)

Both I/O (**input/output**) **ports** and IRQs (interrupt request lines) are communication channels ... and follow the prompts in the Update **Device Driver** Wizard. ...

www.smartcomputing.com/editorial/article.asp?article=articles/archive/l0904/17l04/17l04.asp - 41k - [Cached](#) - [Similar pages](#)

[[More results from www.smartcomputing.com](#)]

[IOmgr - Hardware access utility for Windows NT/2000/XP Copyright ...](#)

input/output ports, physical memory and change Windows state permanently

(until ... IOmgr requires CrackNT.sys, a Windows NT/2000/XP **device driver**, ...

www.it.fht-esslingen.de/~zimmerma/software/iomgr.htm - 8k -

[Cached](#) - [Similar pages](#)

[Writing device drivers in Linux: A brief tutorial](#)

When a module **device driver** is loaded into the kernel, some preliminary tasks are usually ... reserving interrupts, and reserving **input/output ports**, etc. ...

www.freesoftwaremagazine.com/articles/drivers_linux?page=0%2C2 - 75k -

[Cached](#) - [Similar pages](#)

[Computer Horizons Corp. ::: People. Power. Solutions.](#)

Hardware **Input/Output Ports**. Serial Communications Ports. Parallel Ports ... Install

the **Device Driver** for Windows 9X. Video Cards & Displays ...

www.computerhorizons.com/ched_course_detail.asp?cid=1033 - 34k -

[Cached](#) - [Similar pages](#)

[Method and system for directing **device driver** to service multiple ...](#)

a plurality of **input/output ports**, each port connecting one of said at least one

input/output device to said **device driver**, said **input/output ports** each ...

www.patentstorm.us/patents/5530872-claims.html - 19k - [Cached](#) - [Similar pages](#)

[VICAM FAQ](#)

One solution to this problem is to disable the **device driver** in question while ... to

scroll through the setup options until you reach "**Input/Output Ports**". ...

www.vistaimaging.com/faq.htm - 67k - [Cached](#) - [Similar pages](#)

[\[PDF\] ERSP: A Software Platform and Architecture for the Service ...](#)

File Format: PDF/Adobe Acrobat

termed a resource or **device driver**. A driver implementa- tion uses the appropriate

operating ... by drawing connections between the **input/output ports** of ...

ieeexplore.ieee.org/iel5/10375/32977/01545468.pdf?arnumber=1545468 -

[Similar pages](#)

[\[PDF\] Dynamic Reconfiguration in Coordination Languages](#)

File Format: PDF/Adobe Acrobat

this case, AtomicMonitor can be seen as the **device driver** for the monitor device. ...

connections between the appropriate **input-output ports**. ...

www.springerlink.com/index/9R3F8PD3HT5ULFY4.pdf - [Similar pages](#)

[Method and apparatus for using a software configurable connector ...](#)

Also shown on a major sidewall of the housing 1 are **input/output ports** 4-8 for ... 17

device driver software necessary to control multiple I/O ports 4-9. ...

www.freepatentsonline.com/5574859.html - 51k - [Cached](#) - [Similar pages](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 3 of 3 for "**device driver**" and "**input/output ports**" and "**basic device type**". (0.44 seconds)

Tip: Try removing quotes from your search to get more results.

[Generic virtual device driver - Patent 6760784](#)

The **device driver** of claim 4, wherein the **basic device type** is standard VGA. ...

The following table shows **input/output ports** usage for the common video ...

www.freepatentsonline.com/6760784.html - 76k - [Cached](#) - [Similar pages](#)

[Generic virtual device driver - Patent 20040210911](#)

The **device driver** of claim 22, wherein additional **input/output ports** used by the

basic device type are identifiable during installation of the device by a ...

www.freepatentsonline.com/20040210911.html - 61k - Supplemental Result -

[Cached](#) - [Similar pages](#)

[Generic virtual device driver](#)

Generic virtual **device driver**. ... The following table shows **input/output ports**

usage for the common video adapters supported by the OS/2 shrink wrap ...

www.patentopedia.us/goniolens/generic_virtual_driver.html - 71k - Supplemental

Result - [Cached](#) - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 3 already displayed.

If you like, you can repeat the search with the omitted results included.

Download [Google Pack](#): free essential software for your PC

"device driver" and "input/output ports"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 7 of 7 for "**device driver**" and "**input/output ports**" and "**common standard**". (0.51 seconds)

Tip: Try removing quotes from your search to get more results.

[Voice gateway with downstream voice synchronization - US Patent ...](#)

... modes of a virtual **device driver** for packet based network applications in ... 186

that provides multiple individually configurable **input/output ports**. ...

www.patentstorm.us/patents/7023868-description.html - 221k -

[Cached](#) - [Similar pages](#)

[Gateway with voice - US Patent 6765931](#)

... 186 that provides multiple individually configurable **input/output ports**. ... For

example, V.22 is a **common standard** used to define operation of 1200 bps ...

www.patentstorm.us/patents/6765931-description.html - 465k -

[Cached](#) - [Similar pages](#)

[All news from linuxdevices.com section](#)

No, it's just that they don't want a **device driver** out there that they haven't had a ...

RAM and flash memory, cryptography, and various **input/output ports**. ...

linuxgobiz.com/all-linuxdevices.com - 767k - [Cached](#) - [Similar pages](#)

[\[PDF\] Preface](#)

File Format: PDF/Adobe Acrobat

A **device driver** is a device-specific piece of software, that takes care of ... analog

input/output ports and four digital **input/output ports**. ...

per.physics.helsinki.fi/kirjasto/ont/ah/thesis04.pdf - [Similar pages](#)

[Colorado IT Support - DHE Computer systems](#)

An installable **device driver** for MS-DOS computers that uses ANSI commands ...

memory, and **input/output ports**—and enables them to transfer information. ...

www.dhecs.com/glossary.html - [Similar pages](#)

[\[PDF\] Cover Page](#)

File Format: PDF/Adobe Acrobat

Do not use **input/output ports** for both critical and non-critical functions. ...

subsystems and various software layers (operating system, **device driver**, ...

www.hq.nasa.gov/office/codeq/doctree/871913.pdf - [Similar pages](#)

[\[PDF\] The Axon Guide](#)

File Format: PDF/Adobe Acrobat

a **common standard** supported by the Hewlett Packard plotters as well as many

other ... Since this technique makes heavy use of the **input/output ports** of the ...

www.moleculardevices.com/pdfs/Axon_Guide.pdf - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 7 already displayed.

If you like, you can [repeat the search with the omitted results included](#).

Download [Google Pack](#): free essential software for your PC

"device driver" and "input/output ports"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Search](#)[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 1 - 10 of about 42 for "**device driver**" and "**input/output ports**" and **trap** and **poll**. (0.48 seconds)[\[PDF\] Florida 2070 Advanced Traffic Controller Minimum Specifications](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)2.6.2.9.2 A **device driver** compatible with the OS-9 SCFMAN shall be ... Parallel **Input/Output Ports**; other Module Circuit Functions (includes muzzle switch); ...
www.dot.state.fl.us/TrafficOperations/pdf/2070_999.pdf - [Similar pages](#)[\[PDF\] Network Monitoring in Practice](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)Many tools periodically **poll** values from interfaces (mostly ... Automatically collect data, compare to thresholds, and send **traps** to your ...
luca.ntop.org/Teaching/tm2007.pdf - [Similar pages](#)[\[doc\] Recommended Standard of the Joint Committee on the ATC](#)File Format: Microsoft Word - [View as HTML](#)The serial **device driver** shall be able to set user options via `_os_setstat()` and ...
Module Power Supply, FCU Controller, Parallel **Input/Output Ports**, ...
www.ite.org/standards/atc/ATC2070_StandardSpec_031204.doc - [Similar pages](#)[\[PDF\] ATC 2070](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)for status of serial port from the **device driver** via `OS9_os_gs_size()` function call ...
Input/Output Ports; other Module Circuit Functions (includes muzzle switch) ...
traffincident.org/standards/atc/ATC_2070Standard1.pdf - [Similar pages](#)[\[PDF\] ATC 2070](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)An Async-Communications Serial **Device Driver** (SDD) shall be provided to ...
Input/Output Ports; other Module Circuit Functions (includes muzzle switch); ...
traffincident.org/standards/atc/ATC_2070StandardSpec.pdf - [Similar pages](#)
[[More results from traffincident.org](#)][Hardware component interface for desktop computer management ...](#)A MIB may also contain **trap** definitions. A **trap** is a notification sent by the SNMP agent to the ... Number of **input/output ports**. `awoNIC_IOPortBase` ...
www.patentstorm.us/patents/6480903-description.html - 97k -
[Cached](#) - [Similar pages](#)[STMicroelectronics | ST7 Software Library User Manual](#)Read Only Memory Interrupt Controller **Input/Output Ports** Pulse Width ... 3.x and 2.x The ST7 library package consists of **device driver** library files, ...
www.st.com/stonline/products/literature/um/11774.htm - 354k -
[Cached](#) - [Similar pages](#)[Visual vector display generation of very fast moving elements ...](#)[0119] Audio **input/output ports** 16 are shown as apertures into the housing, ...
[0399] One or more output devices 1038 are shown with **device driver** 1040. ...
www.freepatentsonline.com/20060050929.html - 292k - [Cached](#) - [Similar pages](#)[\[PDF\] Using DriverLINX With Your Hardware](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)The KPCI-PIO Series supports three different **device driver** interfaces to best match ... The KPCI-PIO24 has three digital **input/output ports** that DriverLINX ...
www.keithley.com/data?asset=11169 - [Similar pages](#)[\[PDF\] W83697SF WINBOND I/O](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)or **device driver** update is needed except chip-specific configuration. ... W83697SF provides 60 **input/output ports** that can be individually configured to ...
www.winbond-usa.com/products/winbond_products/pdfs/PCIC/w83697sf.pdf -
[Similar pages](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 11 - 20 of about 42 for "**device driver**" and "**input/output ports**" and **trap** and **poll**. (0.10 seconds)

[PDF] [Sec 1 - Model 2070 Gen Reg](#)

File Format: PDF/Adobe Acrobat

The serial **device driver** shall be able to set user options via ... **Input/Output Ports**; other Module Circuit Functions (includes muzzle jumper); Serial ...
www.dot.ca.gov/hq/traffops/electsys/2070/reports/TEES.pdf - [Similar pages](#)

[PDF] [TRANSPORTATION ELECTRICAL EQUIPMENT SPECIFICATIONS TEES](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The async-communications serial **device driver** shall operate in six modes described ... **Input/Output Ports**; other Module Circuit Functions (includes muzzle ...
www.dot.ca.gov/hq/esc/ttsb/electrical/TEES.pdf - [Similar pages](#)

[PDF] [世新大學管理學院資訊管理學系碩士學位論文指導老師：陳育冠博士陳育亮博士](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

裝置驅動程式(**Device Driver**)稱為OpenIPMI Driver，目的是與BMC 做低階 ... CPU
除了從記憶體存取資料外，也會從輸入/輸出埠(**Input/Output Ports**)抓取、和傳輸資料。 ...

192.192.148.77/ETD-db/ETD-search/getfile?URN=etd-0905106-103322&filename=etd-0905106-103322.pdf - [Similar pages](#)

[PDF] [WINBOND LPC SUPER I/O W83L517D](#)

File Format: PDF/Adobe Acrobat

device driver update is needed except chip-specific configuration. ... W83L517D provides 38 **input/output ports** that can be individually configured to ...
www.winbond-usa.com/products/winbond_products/pdfs/PCIC/w83l517d.pdf - [Similar pages](#)

[PDF] [Designing Efficient Network Interfaces For System Area Networks](#)

File Format: PDF/Adobe Acrobat

Each Switch3 chip contains **input/output ports**, together with ... a system **trap** calls the ATOLL driver software to deal with the interrupt ...
deposit.ddb.de/cgi-bin/dokserv?idn=974092428&dok_var=d1&dok_ext=pdf&filename=974092428.pdf - [Similar pages](#)

[PDF] [ST7 Software Library User Manual](#)

File Format: PDF/Adobe Acrobat

The ST7 library package consists of **device driver** library files, the configuration and ... The following are the functions related to **Input/Output ports**. ...
www.st.com/stonline/products/literature/um/11774.pdf - [Similar pages](#)

[PDF] [pdf](#)

File Format: PDF/Adobe Acrobat

software which means no BIOS or **device driver** update is needed except chip-specific ... W83627HF provides 24 **input/output ports** that can be individually ...
www.x86-secret.com/pdf/w83627hf.pdf - [Similar pages](#)

[PDF] [Universal Management Agent: Functions and Integration](#)

File Format: PDF/Adobe Acrobat

Click on the **Input/Output Ports** tab (Figure 62 on page 63) to find information ... mouse you get the **device driver** that is installed (with its name), ...
www.redbooks.ibm.com/redbooks/pdfs/sg245294.pdf - [Similar pages](#)

[PDF] [W83627SF WINBOND I/O](#)

File Format: PDF/Adobe Acrobat

W83627SF provides 42 **input/output ports** that can be individually configured to perform a simple ... Device **Trap**. Timer. Sleep/Wake. State machine. WAK_STS ...
www.ortodoxism.ro/datasheets/WinbondElectronics/mXyzrrtr.pdf - [Similar pages](#)

[Concise Atari ST 68000 Programmer's Reference Guide](#)

\$0B8, **Trap** #14 vector, 184, Atari ST BIOS extensions ... DMA active until sector

count zero (DMA status register) – do not poll during DMA active. ...
homepage.ntlworld.com/kryten_droid/Atari/ST/spg/st_prog_guide_2.htm - 62k -
Supplemental Result - [Cached](#) - [Similar pages](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [Next](#)

"device driver" and "input/output port"

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 21 - 30 of about 42 for "**device driver**" and "**input/output ports**" and **trap** and **poll**. (0.21 seconds)

[Split data path fast at-bus on chip circuits systems and methods ...](#)

CPU-independent and **device-driver** transparent system for translating a ...

EPP/ECF 128 to a printer 129, and two serial **input/output ports** SIO 130 and 132.

...

www.patentstorm.us/patents/5822550-description.html - 655k -

[Cached](#) - [Similar pages](#)

[PDF] [LABORATORY WORK BOOK For The Course CIS-410 Microprocessor ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

event to **trap** and handle these communications events. The OnComm event also.

detects and handles communications errors. •. You can also **poll** for events and ...

www.neduet.edu.pk/electronics/pdf/labWBs/MP&ALWB.pdf - Supplemental Result -

[Similar pages](#)

[PDF] [TxDOT Bid Proposal System](#)

File Format: PDF/Adobe Acrobat

(a) The serial **device driver** must be able to set user options via ... Controller Unit;

Parallel **Input/Output Ports**; other Module Circuit Functions ...

esbd.tbpc.state.tx.us/docs/601/A1073002.PDF - [Similar pages](#)

[PDF] [Infrared Communication for a Wearable Computing and Communication ...](#)

File Format: PDF/Adobe Acrobat

purpose **input/output ports**. Due to its special low-power design it has a typical ...

i.e. the protocol runs as a **device driver**, no modification of existing ...

www.iaik.tugraz.at/teaching/11_diplomarbeiten/archive/wolf.pdf - [Similar pages](#)

[PDF] [ELE3307](#)

File Format: PDF/Adobe Acrobat

the **device driver** is used. This is the appropriate code to control the ... entry to **trap**

illegal combinations of current state and input as appropriate. ...

www.usq.edu.au/users/leis/courses/ELE3307/sguide.pdf - [Similar pages](#)

[PDF] [IBM Director 4.20: Systems Management Guide](#)

File Format: PDF/Adobe Acrobat

might contain **traps** or exceptions. IBM Director Server completed installation before

the system. management bus (SMBus) was detected and the **device driver** ...

[publib.boulder.ibm.com/infocenter/](http://publib.boulder.ibm.com/infocenter/eserver/v1r1/en_US/info/idirinfo/dir420_docs_sysmgt.pdf)

eserver/v1r1/en_US/info/idirinfo/dir420_docs_sysmgt.pdf - [Similar pages](#)

[death of a cult apple computer needs to](#)

Details of the functioning of the UART **input/output ports**, I/O addresses and ... The

Windows portion of the IS/ONE's **device driver** initially fails to work ...

cs.uni.edu/~okane/source/ISR/computing_text.dat - [Similar pages](#)

[PDF] [Printed Documentation](#)

File Format: PDF/Adobe Acrobat

input/output ports. Bus types can be ISA, EISA, VESA Local Bus, PCI, and USB. ...

alerts to send these **traps** to an SNMP management console if you have one. ...

download.landesk.com/support/mgtsuite8/docs/Users8.pdf - [Similar pages](#)

OSIGLO, Glossaire des télécommunications- [Translate this page]

empty **poll** sequence = séquence de sondage à vide (X.42) ... **input/output ports** =

accès d'entrée/sortie (731-05-12); input low/high voltage/current ...

people.itu.int/~bloud/osiglo.htm - 765k - [Cached](#) - [Similar pages](#)

[PDF] [UM10139](#)

File Format: PDF/Adobe Acrobat

Chapter 8: General Purpose **Input/Output ports** (GPIO). Rev. 02 — 25 July 2006 ...

But by the NDIS protocol, **device driver** does know at which location in ...

www.standardics.nxp.com/.../microcontrollers/

pdf/user.manual.lpc2141.lpc2142.lpc2144.lpc2146.lpc2148.pdf - [Similar pages](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 31 - 35 of 35 for "[device driver](#)" and "[input/output ports](#)" and [trap](#) and [poll](#). (0.11 seconds)

[PDF] [UM10139 Volume 1: LPC214x User Manual](#)

File Format: PDF/Adobe Acrobat

Chapter 8: General Purpose **Input/Output ports** (GPIO). Rev. 01 — 15 August

2005 ... But by the NDIS protocol, **device driver** does know at which location in ...

www.nxp.com/acrobat_download/usermanuals/UM10139_1.pdf - [Similar pages](#)

From daemon@vxw.ee.lbl.gov Sun May 1 04:00:26 1994 From: daemon ...

This board has multiple A-to-D's, D-to-A's, and parallel **input/output ports**. You can get a VxWorks **device driver** along with it as an option. ...

csg.lbl.gov/vxwexplo/vxwexplo/1994/archive9405 - 388k - [Cached](#) - [Similar pages](#)

[PDF] [SNMP Reference Guide](#)

File Format: PDF/Adobe Acrobat

System Resource Group — defines variables for **input/output ports**, memory, interrupts, ... An SNMP **trap** is an asynchronous event indicating that something ...

support.dell.com/support/edocs/software/

[svradmin/5.0/en/snmp/pdf/OM50_SNMP_Ref_Guide.pdf](#) - [Similar pages](#)

[PDF] [System Administration Volume 1](#)

File Format: PDF/Adobe Acrobat

Device Driver Flags. ... your computer called I/O (**input/output**) **ports**. ... If during a **poll**, the SAC does not receive a response (such as ENABLED) ...

[ccur.com/isdmanuals/1PowerMAX%20OS/0890429-](http://ccur.com/isdmanuals/1PowerMAX%20OS/0890429-080_System_Administration_Manual_Volume_1.pdf)

[080_System_Administration_Manual_Volume_1.pdf](#) - [Similar pages](#)

Linux.Fibel.org Version 0.6.0- [[Translate this page](#)]

Summary: small **poll** for my new operating system Message-ID: ... **Input/Output-Ports**) verwendet. Daneben können Geräte auch Platz im Adressraums des ...

www.fibel.org/linux/lfo-0.6.0-1/lfo.html - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 35 already displayed. If you like, you can [repeat the search with the omitted results included](#).

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#)

"device driver" and "input/output port"

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google